



SQUARE DISPLAY REFRIGERATED TABLETOP

Note: We reserve the right to both technical, as well as design modifications.

info@tombake.co.za




www.tombake.co.za

Cape Town Office: Cnr Iscor & Oop Str, Bellville South, Cape Town Tel: +27 21 951 2401 | Fax: +27 21 951 2358

Johannesburg Office: Jan Smuts Park, Unit 2, Jones Rd, Jet Park, Boksburg, Johannesburg Tel: +27 11 397 6061 | Fax: +27 11 397 6338

Durban Office: Unit 5, Heron Park, 80 Corobrik Rd, Riverhorse Valley, Durban Tel: +27 31 569 1517 | Fax: +27 31 569 1477



The Display Counters are made from glass and stainless steel. The units have 2 shelves and LED lights fitted to lighten up the product. With the sliding doors there is easy access to the displayed merchandise. The unit has adj. feet to secure the unit for stability. This unit is designed to stand on a counter top


	Cold Display Counter ~ 2 shelves
Power Rating	220V, 1 phase, Neutral and Earth
Power	340W
Temperature Range	+2°C-+8 °C
Dimensions	878 x 568 x 688
Refrigerant	R404A
Shelves	2
Total display area (m²)	0.8
Net Volume (ltr)	160
Ambient conditions	30°C, 55% Class 4
Item Code	FGTR160LS

Note: We reserve the right to both technical, as well as design modifications.

info@tombake.co.za



www.tombake.co.za





SQUARE DISPLAY REFRIGERATED TABLETOP

Note: We reserve the right to both technical, as well as design modifications.

info@tombake.co.za




www.tombake.co.za

Cape Town Office: Cnr Iscor & Oop Str, Bellville South, Cape Town Tel: +27 21 951 2401 | Fax: +27 21 951 2358

Johannesburg Office: Jan Smuts Park, Unit 2, Jones Rd, Jet Park, Boksburg, Johannesburg Tel: +27 11 397 6061 | Fax: +27 11 397 6338

Durban Office: Unit 5, Heron Park, 80 Corobrik Rd, Riverhorse Valley, Durban Tel: +27 31 569 1517 | Fax: +27 31 569 1477



The Display Counters are made from glass and stainless steel. The units have 2 shelves and LED lights fitted to lighten up the product. With the sliding doors there is easy access to the displayed merchandise. The unit has adj. feet to secure the unit for stability. This unit is designed to stand on a counter top

	Cold Display Counter ~ 2 shelves
Power Rating	220V, 1 phase, Neutral and Earth
Power	340W
Temperature Range	+2°C-+8 °C
Dimensions	878 x 568 x 688
Refrigerant	R404A
Shelves	2
Total display area (m²)	0.8
Net Volume (ltr)	160
Ambient conditions	30°C, 55% Class 4
Item Code	FGTR160LS

Note: We reserve the right to both technical, as well as design modifications.

info@tombake.co.za



www.tombake.co.za